



Certificate of Analysis

Sample: KN20919007-002
Harvest/Lot ID: T-PHM-SLV1-090722
Batch#: T-PHM-SLV1-090722
Seed to Sale# N/A
Batch Date: 09/07/22
Sample Size Received: 31 gram
Total Batch Size: N/A
Retail Product Size: 31 gram
Ordered : 09/12/22
Sampled : 09/12/22
Completed: 09/22/22
Sampling Method: N/A

PASSED

Page 1 of 1

Sep 22, 2022 | UrbanXtracts

43 John Hicks Drive
Warwick, NY, 10990, US

PRODUCT IMAGE



SAFETY RESULTS

 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED
---------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------

MISC.

 **Cannabinoid**

PASSED



Total THC
0.0427%
Total THC/Container : 13.237 mg



Total CBD
2.3298%
Total CBD/Container : 722.238 mg



Total Cannabinoids
2.6269%
Total Cannabinoids/Container : 814.339 mg

	CBDV	CBDA	CBGA	CBG	CBD	THCV	CBN	EXO-THC	D9-THC	D8-THC	D10-THC	CBC	THCA	D8-THCO	D9-THCO	THC-O
%	<0.01	ND	<0.01	0.0221	2.3298	0.2022	<0.01	ND	0.0427	ND	<0.01	0.0301	<0.01	ND	ND	ND
mg/g	<0.1	ND	<0.1	0.221	23.298	2.022	<0.1	ND	0.427	ND	<0.1	0.301	<0.1	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.002	0.001	0.001	0.001	0.001	0.001	0.002	0.002	0.002
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
2368, 2837, 2692

Weight:
0.2012g

Extraction date:
09/19/22 14:22:06

Extracted by:
2837

Analysis Method : Expanded Measurement of Uncertainty: Flower Matrix d9-THC:12.7%, THCA: 9.5%, TOTAL THC 11.1%. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

Analytical Batch : KN002914POT
Instrument Used : HPLC E-SHI-008
Running on : N/A

Reviewed On : 09/20/22 15:01:33
Batch Date : 09/19/22 14:19:47

Dilution : N/A
Reagent : 062422.02; 011320.02; 070822.R01; 063022.R02
Consumables : 294033242; n/a; 0030220
Pipette : E-GIL-010; E-EPP-081

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). (Method: SOP.T.30.031.TN for sample prep and Shimadzu High Sensitivity Method SOP.T.40.020 for analysis). *Based on FL action limits.

This report shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. This report is an Kaycha Labs certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds for human safety for consumption and/or inhalation. The result >99% are variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017


Signature

09/22/22

Signed On